

Cc: Nonresponsive based on revised scope [redacted]@tetrattech.com]; [redacted]
Nonresponsive based on revised scope [redacted]@tetrattech.com]
To: Nonresponsive based on revised scope [redacted]@tetrattech.com]; Nonresponsive based on revised scope [redacted]@tetrattech.com]; [redacted]
Nonresponsive based on revised scope [redacted]@erllc.com]
From: Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Fri 10/30/2020 5:58:45 PM (UTC)
Subject: Mounds 2 & 3

Nonresponsive based on revised scope [redacted]

On Monday I would like you to collect surface composite samples for ERRS to send for PCBs & RCRA Pb + Cd

The results we currently have seem to be from a combined area of the mound(s) and 9E

We are now keeping Area 9 separate from the mounds. Therefore we still need disposal/treatment data. This is SEPARATE from the PCB EOC sampling

Todd C, if you prefer to collect these, that is fine

So on Monday afternoon, the following samples should be sent to ALS

- Property 2 tree
- Equipment Decon
- Mound 2
- Mound 3

Please contact me with any questions
Thank you
Chris